INDEX TO AUTHORS

A

ACHEY, PHILLIP M. See POLLARD and ACHEY, 1141
ALPERT, S. S. See BANKS, SCHAEFER, and ALPERT, 253
ALWARD, JOSEPH. See HURLEY and ALWARD, 287
ANDERSEN, OLAF SPARRE, and FUCHS, MARTIN. Potential energy barriers to ion transport within lipid bilayers. Studies with tetraphenylborate, 795
ANDERSON, NELS. See RAMÓN, ANDERSON, JOYNER, and MOORE, 55
ANDRASKO, JAN. Water in agarose gels studied by nuclear magnetic resonance relaxation in the rotating frame, 1235
ARMSTRONG, CLAY, M. Evidence for ionic pores in excitable membranes, 932

B

BANKS, GORDON, SCHAEFER, DALE W., and ALPERT, S. S. Light-scattering study of the temperature dependence of *Escherichia coli* motility, 253
BARR, L. See CONNOR, BARR, and JAKOBSSON, 1047
—. See JAKOBSSON, BARR, and CONNOR, 1069
BEGENISICH, TED, and STEVENS, C. F. How many conductance states do potassium channels have? 843
BERNE, BRUCE J. See SCHAEFER and BERNE, 785
BLASIE, J. KENT. See SCHWARTZ, CAIN, DRATZ, and BLASIE, 1201
BOGOMOLNI, ROBERTO A. See LOZIER, BOGOMOLNI, and STOECKENIUS, 955
BOYKIN, MICHAEL E. See COPELAND, BOYKIN, KELLEY, and KULLBERG, 1125
BRAND, LUDWIG. See GAFNI, MODLIN, and BRAND, 263
BRENNER, BARRY M. See CHANG, ROBERTSON, DEEN, and BRENNER, 861
—. See CHANG, UEKI, TROY, DEEN, ROBERTSON, and BRENNER, 887
BRESLER, E. H. See DANESHPAJOOH, MASON, BRESLER, and WENDT, 591
BRINLEY, F. J., JR., and SPANGLER, S. G. ^{45}Ca and [^{14}C] EDTA efflux from dialyzed barnacle muscle fibers, 281
BROWN, J. E., COHEN, L. B., DE WEER, P., PINTO, L. H., ROSS, W. N., and SALZBERG, B. M. Rapid changes of intracellular free calcium concentration. Detection by metallochromic indicator dyes in squid giant axon, 1155
BRUNSTING, ALBERT. See MEYER and BRUNSTING, 191
BURNS, L. R. See DEERING, TAYLOR, and BURNS, 181

C

CAIN, JAMES E. See SCHWARTZ, CAIN, DRATZ, and BLASIE, 1201
CARLSON, FRANCIS D. Structural fluctuations in the steady state of muscular contraction, 633
CHANCE, B., PORTE, M., HESS, B., and OESTERHELT, D. Low temperature kinetics of H^+ changes of bacterial rhodopsin, 913
CHANG, RAMSAY L. S., ROBERTSON, CHANNING R., DEEN, WILLIAM M., and BRENNER, BARRY M. Permselectivity of the glomerular capillary wall to macromolecules. I. Theoretical considerations, 861
—, UEKI, IRIS F., TROY, JULIA L., DEEN, WILLIAM M., ROBERTSON, CHANNING R., and BRENNER, BARRY M. II. Experimental studies in rats using neutral dextran, 887
CHAPMAN, D. See RAND, CHAPMAN, and LARSSON, 1117
CHAUFFE, LEROY, WINDLE, JOHN J., and FRIEDMAN, MENDEL. Electron spin resonance study of melanin treated with reducing agents, 565
CHEN, YI-DER. See HILL, EISENBERG, CHEN, and PODOLSKY, 335
CIVAN, MORTIMER M., and SHPORER, MORDECHAI. Pulsed nuclear magnetic resonance study of ^{17}O, ^{2}D, and ^{1}H of water in frog striated muscle, 299
CLARKE, NANCY L., POPPER, ARTHUR N., and MANN, J. ADIN, JR. Laser light-scattering investigations of the teleost swimbladder response to acoustic stimuli, 307
COHEN, L. B. See BROWN, COHEN, DE WEER, PINTO, ROSS, and SALZBERG, 1155
COHEN, MORREL H., DRAGE, DAVID J., and ROBERTSON, ANTHONY. Iontophoresis of cyclic AMP, 753
CONE, RICHARD A. See PETERSEN and CONE, 1181
CONNOR, J., BARR, L., and JAKOBSSON, E. Electrical characteristics of frog atrial trabeculae in the double sucrose gap, 1047
—. See JAKOBSSON, BARR, and CONNOR, 1069
COPELAND, EDMUND S., BOYKIN, MICHAEL E., KELLEY, JAMES A., and KULLBERG, M. PETER. An electron spin resonance study of synaptosome opiate receptors. The preparation and use of a spin labeled morphine, 1125

D

DANESHPAJOOH, M. H., MASON, E. A., BRESLER, E. H., and WENDT, R. P. Equations for membrane transport. Experimental and theoretical tests of the frictional model, 591
DAVIS, F. A. See SCHAUF and DAVIS, 1111
DEEN, WILLIAM M. See CHANG, ROBERTSON, DEEN, and BRENNER, 861
—. See CHANG, UEKI, TROY, DEEN, ROBERTSON, and BRENNER, 887
DEERING, R. A., TAYLOR, W. D., and BURNS, L. R. Near-ultraviolet light-induced strand breaks in DNA pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, 181
DE LUCA, CARLO J., and VAN DYK, EGBERT J. Derivation of some parameters of myoelectric signals recorded during sustained constant force isometric contractions, 1167
DEVAULT, DON. See KUNG, DEVAULT, HESS, and OESTERHELT, 907
DE WEER, P. See BROWN, COHEN, DE WEER, PINTO, ROSS, and SALZBERG, 1155
DICAPRIO, R. A., FRENCH, A. S., and SANDERS, E. J. Intercellular connectivity in the eight-cell *Xenopus* embryo. Correlation of electrical and morphological investigations, 373
DIEGAL, J. G., and PINTAR, M. M. Origin of the nonexponentiality of water proton spin relaxation in tissues, 855
DRAGE, DAVID J. See COHEN, DRAGE, and ROBERTSON, 753
—. See ROBERTSON and DRAGE, 765
DRATZ, EDWARD A. See SCHWARTZ, CAIN, DRATZ, and BLASIE, 1201

E

EBERT, G. A., and GOLDMAN, L. Internal perfusion of the *Myxicola* giant axon, 495
EHRENSTEIN, GERALD, GILBERT, DANIEL L., and LIPICKY, RAYMOND J. Does phospholipid flip-flop affect axon potassium channels? 847
EISENBERG, EVAN. See HILL, EISENBERG, CHEN, and PODOLSKY, 335
ELLIS, GORDON W. See INOUÉ, FUSELER, SALMON, and ELLIS, 725
ENGELMAN, D. M. The use of X-ray scattering in the study of lipid bilayer planar organization, 940
ESSIG, ALVIN. Caloric catastrophe reconsidered, 501
—. Energetics of active transport processes, 651
EVANS, E. A., and SIMON, S. Mechanics of electrocompression of lipid bilayer membranes, 850

F

FINN, ARTHUR L. See REUSS and FINN, 71
FORD, N. C. See GABLER, FORD, and WESTHEAD, 747
FRANKUS, ANDREW. See LEE and FRANKUS, 481
FRENCH, A. S. See DICAPRIO, FRENCH, and SANDERS, 373
FRIEDMAN, MENDEL. See CHAUFFE, WINDLE, and FRIEDMAN, 565
FUCHS, MARTIN. See ANDERSEN and FUCHS, 795
FUJIME, SATORU. See UMAZUME and FUJIME, 163
FUJIWARA, Y. Postreplication repair of ultraviolet damage to DNA, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
FUSELER, JOHN. See INOUÉ, FUSELER, SALMON, and ELLIS, 725

G

GABLER, R., FORD, N. C., and WESTHEAD, E. W. Conformational changes of glyceraldehyde-3-phosphate dehydrogenase observed using laser light-scattering spectroscopy, 747
GAFNI, ARI, MODLIN, ROBERT L., and BRAND, LUDWIG. Analysis of fluorescence decay curves by means of the Laplace transformation, 263
GILBERT, DANIEL L. See EHRENSTEIN, GILBERT, and LIPICKY, 847
GOLDMAN, L. Quantitative description of the sodium conductance of the giant axon of *Myxicola* in terms of a generalized second-order variable, 119
—. See EBERT and GOLDMAN, 495
GOODY, R. S., HOLMES, K. C., MANNHERZ, H. G., LEIGH, J. BARRINGTON, and ROSENBAUM, G. Cross-bridge conformation as revealed by X-ray diffraction studies of insect flight muscles with ATP analogues, 687
GRADMANN, DIETRICH. See SLAYMAN and GRADMANN, 968
GRANT, C. W. M. Lipid lateral phase separations. Spin label and freeze-fracture electron microscopy studies, 949
GUERRIERI, F. See PAPA, GUERRIERI, and LORUSSO, 963
GUNTER, T. E., PUSKIN, J. S., and RUSSELL, P. R. Quantitative magnetic resonance studies of manganese uptake by mitochondria, 319

H

HALL, JAMES E. Toward a molecular understanding of excitability. Alamethicin in black lipid films, 934
HAYDON, D. A. See REQUENA, HAYDON, and HLADKY, 77
HESS, BENNO. See CHANCE, PORTE, HESS, and OESTERHELT, 913
—. See KUNG, DEVAULT, HESS, and OESTERHELT, 907
HILL, TERRELL L., EISENBERG, EVAN, CHEN, YI-DER, and PODOLSKY, R. J. Some self-consistent two-state sliding filament models of muscle contraction, 335
HILLE, BERTIL. The receptor for tetrodotoxin and saxitoxin. A structural hypothesis, 615

HLADKY, S. B. See REQUENA, HAYDON, and HLADKY, 77
HOCHMUTH, ROBERT M. See RAKOW and HOCHMUTH, 1095
HOLMES, K. C. See GOODY, HOLMES, MANNHERZ, LEIGH, and ROSENBAUM, 687
HONRUBIA, V. See O'LEARY and HONRUBIA, 505
HURLEY, JAMES, and ALWARD, JOSEPH. Kinetics of lysosomal storage of indigestible matter, 287

I

INOUÉ, SHINYA, FUSELER, JOHN, SALMON, EDWARD D., and ELLIS, GORDON W. Functional organization of mitotic microtubules. Physical chemistry of the in vivo equilibrium system, 725
ISAAKIDOU, JOAN. See PAPAGEORGIOU, TSIMILLI-MICHAEL, and ISAAKIDOU, 83

J

JAKOBSSON, E., BARR, L., and CONNOR, J. A. An equivalent circuit for small atrial trabeculae of frog, 1069
—, and SCUDIERO, CARMEN. A transient excited state model for sodium permeability changes in excitable membranes, 577
—. See CONNOR, BARR, and JAKOBSSON, 1047
JAY, ALFRED W. L. Geometry of the human erythrocyte. I. Effect of albumin on cell geometry, 205
JOYNER, RONALD W., MOORE, JOHN W., and RAMÓN, FIDEL. Axon voltage-clamp simulations. III. Postsynaptic region, 37
—. See MOORE, RAMÓN, and JOYNER, 11, 25
—. See RAMÓN, ANDERSON, JOYNER, and MOORE, 55

K

KELLEY, JAMES A. See COPELAND, BOYKIN, KELLEY, and KULLBERG, 1125
KUNG, M. CHU, DEVAULT, DON, HESS, BENNO, and OESTERHELT, DIETER. Photolysis of bacterial rhodopsin, 907
KRUUV, J. See RAAPHORST, KRUUV, and PINTAR, 391
KULLBERG, M. PETER. See COPELAND, BOYKIN, KELLEY, and KULLBERG, 1125

L

LARSSON, K. See RAND, CHAPMAN, and LARSSON, 1117
LEE, GEORGE C., and FRANKUS, ANDREW. Elasticity properties of lung parenchyma derived from experimental distortion data, 481
LEIGH, J. BARRINGTON. See GOODY, HOLMES, MANNHERZ, LEIGH, and ROSENBAUM, 687
LEVITAN, E., and PALTI, Y. Dipole moment, enthalpy, and entropy changes of Hodgkin-Huxley type kinetic units, 239
— and —. Computation of axon gating currents from dipole moment changes in channel subunits, 1245
LEVITT, DAVID G. General continuum analysis of transport through pores. I. Proof of Onsager's reciprocity postulate for uniform pore, 533
—. II. Nonuniform pores, 553
LINDEMANN, B. Impalement artifacts in microelectrode recordings of epithelial membrane potentials, 1161
LIPICKY, RAYMOND J. See EHRENSTEIN, GILBERT, and LIPICKY, 847
LIPSON, E. D. White noise analysis of *Phycomyces* light growth response system. I. Normal intensity range, 989
—. II. Extended intensity ranges, 1013
—. III. Photomutants, 1033
LORUSSO, M. See PAPA, GUERRIERI, and LORUSSO, 963
LOZIER, RICHARD H., BOGOMOLNI, ROBERTO A., and STOECKENIUS, WALTHER. Bacteriorhodopsin: a light-driven pump proton pump in *Halobacterium halobium*, 955

M

MANN, J. ADIN, JR. See CLARKE, POPPER, and MANN, 307
MANNHERZ, H. G. See GOODY, HOLMES, MANNHERZ, LEIGH, and ROSENBAUM, 687
MASON, E. A. See DANESHPAJOOH, MASON, BRESLER, and WENDT, 591
MCELHANEY, RONALD N. Membrane lipid, not polarized water, is responsible for the semipermeable properties of living cells, 777
MCQUARRIE, D. A. See OLIVARES and MCQUARRIE, 143
MEHRJARDI, M. H. See SUTERA and MEHRJARDI, 1
MENDELSON, ROBERT A. See TREGEAR and MENDELSON, 455
MEYER, RICHARD A., and BRUNSTING, ALBERT. Light scattering from nucleated biological cells, 191
MIYAZAKI, SHINJI. See NEMOTO, MIYAZAKI, SAITO, and UTSUNOMIYA, 469
MODLIN, ROBERT L. See GAFNI, MODLIN, and BRAND, 263
MONTAL, M. See SHERWOOD and MONTAL, 417
MOORE, JOHN W., RAMÓN, FIDEL, and JOYNER, RONALD W. Axon voltage-clamp simulations. I. Methods and tests, 11
—, —, and —. II. Double sucrose-gap method, 25
—. See JOYNER, MOORE, and RAMÓN, 37
—. See RAMÓN, ANDERSON, JOYNER, and MOORE, 55
MULLINS, L. J. Ion selectivity of carriers and channels, 921

N

NEMOTO, IKU, MIYAZAKI, SHINJI, SAITO, MASAO, and UTSUNOMIYA, TOSHIO. Behavior of solutions

of the Hodgkin-Huxley equations and its relation to properties of mechanoreceptors, 469
NETTO, THOMAZ GHILARDI, and ZIMMERMAN, ROBERT LEE. Effect of water on piezoelectricity in bone and collagen, 573

O

OESTERHELT, DIETER. See CHANCE, PORTE, HESS, and OESTERHELT, 913
—. See KUNG, DEVAULT, HESS, and OESTERHELT, 907
O'LEARY, D. P., and HONRUBIA, V. On-line identification of sensory systems using pseudorandom binary noise perturbations, 505
OLIVARES, W., and MCQUARRIE, D. A. On the theory of ionic solutions, 143

P

PAINE, PHILIP L., and SCHERR, PAUL. Drag coefficients for the movement of rigid spheres through liquid-filled cylindrical pores, 1087
PALTI, Y. See LEVITAN and PALTI, 239, 1245
PAPA, S., GUERRIERI, F., and LORUSSO, M. Charge separation and energy transfer in the mitochondrial membrane, 963
PAPAGEORGIOU, GEORGE, TSIMILLI-MICHAEL, MEROPE, and ISAAKIDOU, JOAN. Quenching of excited chlorophyll *a* in vivo by nitrobenzene, 83
PAPAHADJOPOULOS, D., and POSTE, G. Calcium-induced phase separation and fusion in phospholipid membranes, 945
PERELSON, ALAN S. Network thermodynamics. An overview, 667
PETERSEN, DANIEL C., and CONE, RICHARD A. The electric dipole moment of rhodopsin solubilized in Triton X-100, 1181
PINTAR, M. M. See RAAPHORST, KRUUV, and PINTAR, 391
—. See DIEGAL and PINTAR, 855
PINTO, L. H. See BROWN, COHEN, DE WEER, PINTO, ROSS, and SALZBERG, 1155
PODOLSKY, R. J. See HILL, EISENBERG, CHEN, and PODOLSKY, 335
POLLARD, ERNEST C., and ACHEY, PHILLIP M. Induction of radioresistance in *Escherichia coli*, 1141
POPPER, ARTHUR N. See CLARKE, POPPER, and MANN, 307
PORTE, M. See CHANCE, PORTE, HESS, and OESTERHELT, 913
POSTE, G. See PAPAHADJOPOULOS and POSTE, 945
PUSKIN, J. S. See GUNTER, PUSKIN, and RUSSELL, 319

R

RAAPHORST, G. P., KRUUV, J., and PINTAR, M. M. Nuclear magnetic resonance study of mammalian cell water. Influence of water content and ionic environment, 391
RAKOW, ALLEN L., and HOCHMUTH, ROBERT M. Effect of heat treatment on the elasticity of human erythrocyte membrane, 1095
RAMÓN, FIDEL, ANDERSON, NELS, JOYNER, RONALD W., and MOORE, JOHN W. Axon voltage-clamp simulations. IV. A multicellular preparation, 55
—. See JOYNER, MOORE, and RAMÓN, 37
—. See MOORE, RAMÓN, and JOYNER, 11, 25
RAND, R. P., CHAPMAN, D., and LARSSON, K. Tilted hydrocarbon chains of dipalmitoyl lecithin become perpendicular to the bilayer before melting, 1117
RANDOLPH, M. L., and SETLOW, JANE K. Degradation of DNA in *Haemophilus influenzae* cells after X-ray irradiation. I. Experimental results, 441
REQUENA, J., HAYDON, D. A., and HLADKY, S. B. Lenses and the compression of black lipid membranes by an electric field, 77
REUSS, LUIS, and FINN, ARTHUR L. Dependence of serosal membrane potential on mucosal membrane potential in toad urinary bladder, 71
RIKMENSPOEL, ROBERT. Radiation damage to bull sperm motility. III. Further X-ray studies, 831
RINZEL, JOHN. Spatial stability of traveling wave solutions of a nerve conduction equation, 975
ROBERTSON, ANTHONY, and DRAGE, DAVID J. Stimulation of late interphase *Dictyostelium discoideum* amoebae with an external cyclic AMP signal, 765
—. See COHEN, DRAGE, and ROBERTSON, 753
ROBERTSON, CHANNING R. See CHANG, ROBERTSON, DEEN, and BRENNER, 861
—. See CHANG, UEKI, TROY, DEEN, ROBERTSON, and BRENNER, 887
ROSENBAUM, G. See GOODY, HOLMES, MANNHERZ, LEIGH, and ROSENBAUM, 687
ROSS, W. N. See BROWN, COHEN, DE WEER, PINTO, ROSS, and SALZBERG, 1155
RUSSELL, P. R. See GUNTER, PUSKIN, and RUSSELL, 319

S

SAITO, MASAO. See NEMOTO, MIYAZAKI, SAITO, and UTSUNOMIYA, 469
SALMON, EDWARD D. See INOUÉ, FUSELER, SALMON, and ELLIS, 725
SALZBERG, B. M. See BROWN, COHEN, DE WEER, PINTO, ROSS, and SALZBERG, 1155
SANDERS, E. J. See DICAPRIO, FRENCH, and SANDERS, 373
SCHAEFER, DALE W., and BERNE, BRUCE J. Number fluctuation spectroscopy of motile microorganisms, 785
—. See BANKS, SCHAEFER, and ALPERT, 253
SCHAUF, C. L., and DAVIS, F. A. Further studies of activation-inactivation coupling in *Myxicola* axons. Insensitivity to changes in calcium concentration, 1111
SCHERR, PAUL. See PAINE and SCHERR, 1087
SCHWARTZ, STEPHEN, CAIN, JAMES E., DRATZ, EDWARD A., and BLASIE, J. KENT. An analysis of lamellar X-ray diffraction from disordered mem-

brane multilayers with application to data from retinal rod outer segments, 1201
SCUDIERO, CARMEN. See JAKOBSSON and SCUDIERO, 577
SETLOW, JANE K. See RANDOLPH and SETLOW, 441
SHERWOOD, DENNIS, and MONTAL, M. Transmembrane lipid migration in planar asymmetric bilayer membranes, 417
SHPORER, MORDECHAI. See CIVAN and SHPORER, 299
SIMON, S. See EVANS and SIMON, 850
SLAYMAN, CLIFFORD L., and GRADMANN, DIETRICH. Electrogenic proton transport in the plasma membrane of *Neurospora*, 968
SPANGLER, S. G. See BRINLEY and SPANGLER, 281
STEVENS, C. F. See BEGENISICH and STEVENS, 843
STOECKENIUS, WALTHER. See LOZIER, BOGOMOLNI, and STOECKENIUS, 955
SUTERA, S. P., and MEHRJARDI, M. H. Deformation and fragmentation of human red blood cells in turbulent shear flow, 1
SUTHERLAND, B. M. See SUTHERLAND and SUTHERLAND, 435
SUTHERLAND, J. C., and SUTHERLAND, B. M. Human photoreactivating enzyme. Action spectrum and safelight conditions, 435
SZENT-GYÖRGYI, ANDREW G. Calcium regulation of muscle contraction, 707

T

TAYLOR, W. D. See DEERING, TAYLOR, and BURNS, 181
THOMPSON, MICHAEL R. See WRIGHT and THOMPSON, 137
TIEN, H. TI. Biophysical research in the People's Republic of China—A Report to the Council of the Biophysical Society, 621
TREGEAR, RICHARD T., and MENDELSON, ROBERT A. Polarization from a helix of fluorophores and its relation to that obtained from muscle, 455
TROY, JULIA L. See CHANG, UEKI, TROY, DEEN, ROBERTSON, and BRENNER, 887
TSIMILLI-MICHAEL, MEROPE. See PAPAGEORGIOU, TSIMILLI-MICHAEL, and ISAAKIDO, 83

U

UEKI, IRIS F. See CHANG, UEKI, TROY, DEEN, ROBERTSON, and BRENNER, 887
UHLENHOPP, ELLIOTT L. Viscoelastic analysis of high molecular weight, alkali-denatured DNA from mouse 3T3 cells, 233
—, and ZIMM, BRUNO H. Viscoelastic characterization of single-stranded DNA from *Escherichia coli*, 223
UMAZUME, YOSHIKI, and FUJIME, SATORU. Electro-optical property of extremely stretched skinned muscle fibers, 163
UTSUNOMIYA, TOSHIO. See NEMOTO, MIYAZAKI, SAITO, and UTSUNOMIYA, 469

V

VAN DYK, EGBERT J. See DE LUCA and VAN DYK, 1167

W

WENDT, R. P. See DANESHPAJOOH, MASON, BRESLER, and WENDT, 591
WESTHEAD, E. W. See GABLER, FORD, and WESTHEAD, 747
WHITE, STEPHEN H. Phase transitions in planar bilayer membranes, 95
WINDLE, JOHN J. See CHAUFFE, WINDLE, and FRIEDMAN, 565
WRIGHT, A. KENT, and THOMPSON, MICHAEL R. Hydrodynamic structure of bovine serum albumin determined by transient electric birefringence, 137

Z

ZIMM, BRUNO H. See UHLENHOPP and ZIMM, 223
ZIMMERMAN, ROBERT LEE. See NETTO and ZIMMERMAN, 573

INDEX TO SUBJECTS

A

Acid, deoxyribonucleic, degradation in *Haemophilus influenzae* cells after X-ray irradiation. I. Experimental results, 441
—, deoxyribonucleic, high molecular weight alkali-denatured, from mouse 3T3 cells, viscoelastic analysis, 233
—, deoxyribonucleic, postreplication repair of ultraviolet damage, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
—, deoxyribonucleic, pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, near-ultraviolet light-induced strand breaks, 181
—, deoxyribonucleic, single-stranded, from *Escherichia coli*, viscoelastic characterization, 223
—, ethylenediaminetetraacetic, ^{14}C-labeled, and ^{45}Ca efflux from dialyzed barnacle muscle fibers, 281
Acid-chain elongation, deoxyribonucleic, and DNA, postreplication repair of ultraviolet damage and effects of metabolic inhibitors in mouse L cells, 403
Acoustic stimuli, laser light-scattering investigations of the teleost swimbladder response, 307
Activation-inactivation coupling in *Myxicola* axons, insensitivity to changes in calcium concentration, 1111
Adenosine monophosphate, cyclic, iontophoresis, 753
— monophosphate signal, external cyclic, stimulation of late interphase *Dictyostelium discoideum* amoebae, 765
— triphosphate analogues, cross-bridge conformation as revealed by X-ray diffraction studies of insect flight muscles, 687
Agarose gels, water, studied by nuclear magnetic resonance relaxation in the rotating frame, 1235
Alamethicin in black lipid films, toward a molecular understanding of excitability, 934
Albumin, bovine serum, hydrodynamic structure determined by transient electric birefringence, 137
—, effect on cell geometry, geometry of the human erythrocyte, 205
Atrial trabeculae, frog, electrical characteristics in the double sucrose gap, 1047
— trabeculae, small, frog, an equivalent circuit, 1069
Axon gating currents, computation from dipole moment changes in channel subunits, 1245
—, giant, of *Myxicola*, quantitative description of sodium conductance in terms of a generalized second-order variable, 119
Axon, *Myxicola* giant, internal perfusion, 495
— potassium channels, affected by phospholipid flip-flop? 847
—, squid giant, metallochromic indicator dyes, detection of rapid changes of intracellular free calcium concentration, 1155
— voltage-clamp simulations. I. Methods and tests, 11
— voltage-clamp simulations. II. Double sucrose-gap method, 25
— voltage-clamp simulations. III. Postsynaptic region, 37
— voltage-clamp simulations. IV. A multicellular preparation, 55
Axons, *Myxicola*, further studies of activation-inactivation coupling, insensitivity to changes in calcium concentration, 1111

B

Bacterial rhodopsin, low temperature kinetics of H^+ changes, 913
— rhodopsin, photolysis, 907
Bacteriorhodopsin, a light-driven proton pump in *Halobacterium halobium*, 955
Barnacle muscle fibers, dialyzed, ^{45}Ca and [^{14}C]EDTA efflux, 281
Bilayer membranes, lipid, mechanics of electrocompression, 850
— membranes, planar asymmetric, transmembrane lipid migration, 417
— planar organization, lipid, use of X-ray scattering, 940
—, tilted hydrocarbon chains of dipalmitoyl lecithin become perpendicular before melting, 1117
Bilayers, lipid, potential energy barriers to ion transport, studies with tetraphenylborate, 795
Bioenergetics, membrane, workshop, 920
Biophysical research in the People's Republic of China—A Report to the Council of the Biophysical Society, 621
Birefringence, transient electric, determination of hydrodynamic structure of bovine serum albumin, 137

Blood cell, red. See Erythrocyte.
Bone and collagen, effect of water on piezoelectricity, 573
Borate studies, tetraphenyl-, potential energy barriers to ion transport, 795
Brief Communications, 71, 281, 495, 615, 843, 907, 913, 1087, 1245

Bull sperm motility, radiation damage. III. Further X-ray studies, 831

C

Calcium concentration changes, insensitivity of activation-inactivation coupling in *Myxicola* axons, 1111
— concentration, intracellular free, rapid changes, detection by metallochromic indicator dyes in squid giant axon, 1155
— ion and [^{14}C]EDTA efflux from dialyzed barnacle muscle fibers, 281
— regulation of muscle contraction, 707
Calcium-induced phase separation and fusion in phospholipid membranes, 945
Caloric catastrophe reconsidered, 501
Capillary wall, glomerular, permselectivity to macromolecules. I. Theoretical considerations, 861
— wall, glomerular, permselectivity to macromolecules. II. Experimental studies in rats using neutral dextran, 887
Carbon chains, tilted hydro-, of dipalmitoyl lecithin become perpendicular to bilayer before melting, 1117
Carcinogen, *N*-acetoxy-2-acetylaminofluorene, near-ultraviolet light-induced strand breaks in pretreated DNA, 181
Carriers and channels, ion selectivity, 921
Cell water, mammalian, nuclear magnetic resonance study, influence of water content and ionic environment, 391
Cells, *Haemophilus influenzae*, degradation of DNA after X-ray irradiation. I. Experimental results, 441
—, living, membrane lipid, not polarized water, is responsible for semipermeable properties, 777
—, mouse L, postreplication repair of ultraviolet damage to DNA, DNA-chain elongation, and effects of metabolic inhibitors, 403
—, mouse 3T3, viscoelastic analysis of high molecular weight, alkali-denatured DNA, 233
—, nucleated biological, light scattering, 191
Cellular intra-, free calcium concentration, rapid changes, detection by metallochromic indicator dyes in squid giant axon, 1155
Channel subunits, computation of axon gating currents from dipole moment changes 1245
Channels and carriers, ion selectivity, 921
Charge separation and energy transfer in the mitochondrial membrane, 963
Chlorophyll *A*, excited, quenching in vivo by nitrobenzene, 83
Collagen and bone, effect of water on piezoelectricity, 573
Conductance, sodium, of giant axon of *Myxicola* in terms of a generalized second-order variable, quantitative description, 119
— states, how many do potassium channels have? 843
Conformational changes of glyceraldehyde-3-phosphate dehydrogenase observed using laser light-scattering spectroscopy, 747
Continuum analysis, general, of transport through pores. I. Proof of Onsager's reciprocity postulate for uniform pore, 533
— analysis, general, of transport through pores. II. Nonuniform pores, 553
Contraction, muscle, some self-consistent two-state sliding filament models, 335
Contractions, sustained constant force isometric, derivation of some parameters of myoelectric signals recorded, 1167
Cross-bridge conformation as revealed by X-ray diffraction studies of insect flight muscles with ATP analogues, 687

D

Decay curves, fluorescence, analysis by means of the Laplace transformation, 263
Dehydrogenase, glyceraldehyde-3-phosphate, conformational changes observed using laser light-scattering spectroscopy, 747
Deoxyribonucleic acid degradation in *Haemophilus influenzae* cells after X-ray irradiation. I. Experimental results, 441
— acid, high molecular weight, alkali-denatured, from mouse 3T3 cells, viscoelastic analysis, 233
— acid, postreplication repair of ultraviolet damage, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
— acid pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, near-ultraviolet light-induced strand breaks, 181
— acid, single-stranded, from *Escherichia coli*, viscoelastic characterization, 223
— acid-chain elongation, postreplication repair of ultraviolet damage to DNA, and effects of metabolic inhibitors in mouse L cells, 403
Dextran, neutral, experimental studies in rats, permselectivity of the glomerular capillary wall to macromolecules, 887
Dictyostelium discoideum amoebae, late interphase, stimulation with an external cyclic AMP signal, 765
Dipalmitoyl lecithin, tilted hydrocarbon chains become perpendicular to the bilayer before melting, 1117
Dipole moment changes in channel subunits, computation of axon gating currents, 1245
— moment, enthalpy, and entropy changes of Hodgkin-Huxley type kinetic units, 239
Distortion data, experimental, derivation of elasticity properties of lung parenchyma, 481
Drag coefficients for the movement of rigid spheres through liquid-filled cylindrical pores, 1087
Dyes, metallochromic indicator, in squid giant axon, detection of rapid changes of intracellular free calcium concentration, 1155

E

Elasticity of human erythrocyte membrane, effect of heat treatment, 1095
— properties of lung parenchyma derived from experimental distortion data, 481
Electric birefringence, transient, determination of hydrodynamic structure of bovine serum albumin, 137
— dipole moment of rhodopsin solubilized in Triton X-100, 1181
— field, compression of black lipid membranes, and lenses, 77
—, myo-, signals recorded during sustained constant force isometric contractions, derivation of some parameters, 1167
Electrical and morphological investigations, correlation, intercellular connectivity in the eight-cell *Xenopus* embryo, 373
— characteristics of frog atrial trabeculae in the double sucrose gap, 1047
Electricity, piezo-, in bone and collagen, effect of water, 573
Electrocompression of lipid bilayer membranes, mechanics, 850
Electrogenic proton transport in the plasma membrane of *Neurospora*, 968
Electron microscopy studies, spin label and freeze-fracture, lipid lateral phase separations, 949
— spin resonance study of melanin treated with reducing agents, 565
— spin resonance study of synaptosome opiate receptors, preparation and use of a spin-labeled morphine, 1125
Electro-optical property of extremely stretched skinned muscle fibers, 163
Energy barriers, potential, to ion transport within lipid bilayers, studies with tetraphenylborate, 795
— transfer and charge separation in the mitochondrial membrane, 963
Enthalpy, dipole moment, and entropy changes of Hodgkin-Huxley type kinetic units, 239
Entropy, dipole moment, and enthalpy changes of Hodgkin-Huxley type kinetic units, 239
Enzyme, human photoreactivating, action spectrum and safelight conditions, 435
Epithelial membrane potentials, impalement artifacts in microelectrode recordings, 1161
Equations for membrane transport, experimental and theoretical tests of the frictional model, 591
—, Hodgkin-Huxley, behavior of solutions and its relation to properties of mechanoreceptors, 469
Equilibrium system, in vivo, physical chemistry, functional organization of mitotic microtubules, 725
Equivalent circuit for small atrial trabeculae of frog, 1069
Erythrocyte, human, geometry. I. Effect of albumin on cell geometry, 205
Erythrocyte membrane, human, effect of heat treatment on elasticity, 1095
Erythrocytes and plasma, water exchange, measurement by nuclear magnetic relaxation, 1101
—, human, deformation and fragmentation in turbulent shear flow, 1
Escherichia coli, induction of radioresistance, 1141
— motility, light-scattering study of temperature dependence, 253
—, viscoelastic characterization of single-stranded DNA, 223
Ethylenediaminetetraacetic acid, ^{14}C-labeled, and ^{45}Ca efflux from dialyzed barnacle muscle fibers, 281
Excitability, toward a molecular understanding, alamethicin in black lipid films, 934
Excitable membranes, evidence for ionic pores, 932
Excited state model, transient, for sodium permeability changes in excitable membranes, 577
Exponentiality, non-, of the water proton spin relaxations in tissues, origin, 855

F

Fibers, extremely stretched skinned muscle, electro-optical property, 163
Filament models, self-consistent two-state sliding, of muscle contraction, 335
Fluctuation spectroscopy, number, of motile microorganisms, 785
Fluctuations, structural, in the steady state of muscular contraction, 633
Fluorescence decay curves, analysis by means of the Laplace transformation, 263
Fluorophores, polarization from helix and its relation to that obtained from muscle, 455
Freeze-fracture and spin label electron microscopy studies, lipid lateral phase separations, 949
Frictional model, experimental and theoretical tests, equations for membrane transport, 591
Frog striated muscle, pulsed nuclear magnetic resonance study of ^{17}O, ^{2}D, and ^{1}H of water, 299
Fusion and phase separation, calcium-induced, in phospholipid membranes, 945

G

Geometry, cell, effect of albumin, geometry of the human erythrocyte, 205
— of the human erythrocyte. I. Effect of albumin on cell geometry, 205
Glomerular capillary wall, permselectivity to macromolecules. I. Theoretical considerations, 861
— capillary wall, permselectivity to macromolecules. II. Experimental studies in rats using neutral dextran, 887
Glyceraldehyde-3-phosphate dehydrogenase, conformational changes observed using laser light-scattering spectroscopy, 747

H

Halobacterium halobium light-driven proton pump, bacteriorhodopsin, 955
Heat treatment, effect on the elasticity of human erythrocyte membrane, 1095
Helix of fluorophores, polarization and its relation to that obtained from muscle, 455
Human erythrocyte geometry. I. Effect of albumin on cell geometry, 205
— erythrocyte membrane elasticity, effect of heat treatment, 1095
— photoreactivating enzyme, action spectrum and safelight conditions, 435
— red blood cells in turbulent shear flow, deformation and fragmentation, 1
Hydrocarbon chains, tilted, of dipalmitoyl lecithin become perpendicular to bilayer before melting, 1117
Hydrodynamic structure of bovine serum albumin determined by transient electric birefringence, 137
Hydrogen ion changes of bacterial rhodopsin, low temperature kinetics, 913

I

Impalement artifacts in microelectrode recordings of epithelial membrane potentials, 1161
Inactivation-activation coupling in *Myxicola* axons, insensitivity to changes in calcium concentration, 1111
Intercellular connectivity in the eight-cell *Xenopus* embryo, correlation of electrical and morphological investigations, 373
Intracellular free calcium concentration, rapid changes, detection by metallochromic indicator dyes in squid giant axon, 1155
Ion, hydrogen, changes of bacterial rhodopsin, low temperature kinetics, 913
— selectivity of carriers and channels, 921
— transport within lipid bilayers, potential energy barriers, studies with tetraphenylborate, 795
Ionic pores in excitable membranes, evidence, 932
— solutions, theory, 143
Iontophoresis of cyclic AMP, 753
Isometric contractions, sustained constant force, derivation of some parameters of myoelectric signals recorded, 1167

K

Katchalsky, Aharon, dedication, a special issue on thermodynamics of living systems, no. 7, p. *i*
Kinetic units, Hodgkin-Huxley type, dipole moment, enthalpy, and entropy changes, 239
Kinetics, low temperature, of H^+ changes of bacterial rhodopsin, 913
— of lysosomal storage of indigestible matter, 287

L

Lamellar X-ray diffraction from disordered membrane multilayers, analysis with application to data from retinal rod outer segments, 1201
Laplace transformation, analysis of fluorescence decay curves, 263
Laser light-scattering investigations of the teleost swimbladder response to acoustic stimuli, 307
— light-scattering spectroscopy, conformational changes of glyceraldehyde-3-phosphate dehydrogenase observed, 747
Lecithin, dipalmitoyl, tilted hydrocarbon chains become perpendicular to bilayer before melting, 1117
Lenses and the compression of black lipid membranes by an electric field, 77
Letters to the Editor, 77. 501, 847, 850, 1161
Light growth response system in *Phycomyces*, white noise analysis. I. Normal intensity range, 989
— growth response system in *Phycomyces*, white noise analysis. II. Extended intensity ranges, 1013
— growth response system in *Phycomyces*, white noise analysis. III. Photomutants, 1033
— scattering from nucleated biological cells, 191
Light-scattering investigations, laser, of the teleost swimbladder response to acoustic stimuli, 307
— spectroscopy, laser, conformational changes of glyceraldehyde-3-phosphate dehydrogenase observed, 747
— study of the temperature dependence of *Escherichia coli* motility, 253
Lipid bilayer membranes, mechanics of electrocompression, 850
— bilayer planar organization, use of X-ray scattering, 940
— bilayers, potential energy barriers to ion transport, studies with tetraphenylborate, 795
— films, black, alamethicin, toward a molecular understanding of excitability, 934
— lateral phase separations, spin label and freeze-fracture electron microscopy studies, 949
—, membrane, not polarized water, is responsible for the semipermeable properties of living cells, 777
— membranes, black, compression by an electric field, and lenses, 77
— migration, transmembrane in planar asymmetric bilayer membranes, 417
Lung parenchyma, elasticity properties derived from experimental distortion data, 481
Lysosomal storage of indigestible matter, kinetics, 287

M

Macromolecules, permselectivity of the glomerular capillary wall. I. Theoretical considerations, 861
—, permselectivity of the glomerular capillary wall. II. Experimental studies in rats using neutral dextran, 887

Magnetic relaxation, nuclear, measurement of water exchange between red cells and plasma, 1101
— resonance relaxation, nuclear, water in agarose gels studied in the rotating frame, 1235
— resonance studies, quantitative, of manganese uptake by mitochondria, 319
— resonance study, nuclear, of mammalian cell water, influence of water content and ionic environment, 391
— resonance study, pulsed nuclear, of ^{17}O, ^{2}D, and ^{1}H of water in frog striated muscle, 299
Mammalian cell water, nuclear magnetic resonance study, influence of water content and ionic environment, 391
Manganese uptake by mitochondria, quantitative magnetic resonance studies, 319
Mechanoreceptors, relation of properties to behavior of solutions of the Hodgkin-Huxley equations, 469
Melanin treated with reducing agents, electron spin resonance study, 565
Membrane bioenergetics workshop, 920
—, human erythrocyte, effect of heat treatment on elasticity, 1095
— lipid, not polarized water, is responsible for the semipermeable properties of living cells, 777
—, mitochondrial, charge separation and energy transfer, 963
— multilayers, disordered, analysis of lamellar X-ray diffraction with application to data from retinal rod outer segments, 1201
—, plasma, of *Neurospora*, electrogenic proton transport, 968
— potential, mucosal, dependence of serosal membrane potential in toad urinary bladder, 71
— potential, serosal, dependence on mucosal membrane potential in toad urinary bladder, 71
— potentials, epitheliai, impalement artifacts in microelectrode recordings, 1161
— transport equations, experimental and theoretical tests of the frictional model, 591
Membranes, black lipid, compression by an electric field, and lenses, 77
—, excitable, a transient excited state model for sodium permeability changes, 577
—, excitable, evidence for ionic pores, 932
—, lipid bilayer, mechanics of electrocompression, 850
—, phospholipid, calcium-induced phase separation and fusion, 945
—, planar asymmetric bilayer, transmembrane lipid migration, 417
—, planar bilayer, phase transitions, 95
Metabolic inhibitors, effects in mouse L cells, post-replication repair of ultraviolet damage to DNA, and DNA-chain elongation, 403
Microelectrode recordings of epithelial membrane potentials, impalement artifacts, 1161
Microscopy studies, spin label and freeze-fracture electron, lipid lateral phase separations, 949
Microtubules, mitotic, functional organization, physical chemistry of the in vivo equilibrium system, 725
Mitochondria, quantitative magnetic resonance studies of manganese uptake, 319
Mitochondrial membrane, charge separation and energy transfer, 963
Mitotic microtubules, functional organization, physical chemistry of the in vivo equilibrium system, 725
Model, frictional, experimental and theoretical tests, equations for membrane transport, 591
—, transient excited state, for sodium permeability changes in excitable membranes, 577
Models, self-consistent two-state sliding filament, of muscle contraction, 335
Molecular understanding of excitability, alamethicin in black lipid films, 934
Moment, dipole, changes in channel subunits, computation of axon gating currents, 1245
—, dipole, enthalpy, and entropy changes of Hodgkin-Huxley type kinetic units, 239
—, electric dipole, of rhodopsin solubilized in Triton X-100, 1181
Monophosphate, cyclic adenosine, iontophoresis, 753
— signal, external cyclic adenosine, stimulation of late interphase *Dictyostelium discoideum* amoebae, 765
Morphine, spin-labeled, preparation and use, electron spin resonance study of synaptosome opiate receptors, 1125
Morphological and electrical investigations, correlation, intercellular connectivity in the eight-cell *Xenopus* embryo, 373
Motile microorganisms, number fluctuation spectroscopy, 785
Motility, bull sperm, radiation damage. III. Further X-ray studies, 831
— of *Escherichia coli*, light-scattering study of temperature dependence, 253
Mouse 3T3 cells, viscoelastic analysis of high molecular weight, alkali-denatured DNA, 233
Mucosal membrane potential, dependence of serosal membrane potential in toad urinary bladder, 71
Muscle contraction, calcium regulation, 707
— contraction, some self-consistent two-state sliding filament models, 335
— fibers, barnacle, dialyzed, ^{45}Ca and [^{14}C] EDTA efflux, 281
— fibers, extremely stretched skinned, electro-optical property, 163
—, frog striated, pulsed nuclear magnetic resonance study of ^{17}O, ^{2}D, and ^{1}H of water, 299
—, relation to polarization from a helix of fluorophores, 455
Muscles, insect flight, cross-bridge conformation as revealed by X-ray diffraction studies with ATP analogues, 687
Muscular contraction, structural fluctuations in the steady state, 633

Mutants, photo-, white noise analysis of *Phycomyces* light growth response system, 1033
Myoelectric signals recorded during sustained constant force isometric contractions, derivation of some parameters, 1167
Myxicola axons, further studies of inactivation-activation coupling, insensitivity to changes in calcium concentration, 1111
— giant axon, internal perfusion, 495
— giant axon, quantitative description of sodium conductance in terms of a generalized second-order variable, 119

N

Nerve conduction equation, spatial stability of traveling wave solutions, 975
Network thermodynamics, an overview, 667
Neurospora plasma membrane, electrogenic proton transport, 968
Nitrobenzene, quenching of excited chlorophyll *A* in vivo, 83
Noise analysis, white, of *Phycomyces* light growth response system. I. Normal intensity range, 989
— analysis, white, of *Phycomyces* light growth response system. II. Extended intensity ranges, 1013
— analysis, white, of *Phycomyces* light growth response system. III. Photomutants, 1033
— perturbations, pseudorandom binary, on-line identification of sensory systems, 505
Nuclear magnetic relaxation measurement of water exchange between red cells and plasma, 1101
— magnetic resonance relaxation, water in agarose gels studied in the rotating frame, 1235
— magnetic resonance study of mammalian cell water, influence of water content and ionic environment, 391
— magnetic resonance study of ^{17}O, ^{2}D, and ^{1}H of water in frog striated muscle, 299
Nucleated biological cells, light scattering, 191
Nucleic acid, deoxyribo-, degradation in *Haemophilus influenzae* cells after X-ray irradiation. I. Experimental results, 441
Nucleic acid, deoxyribo-, high molecular weight alkali-denatured, from mouse 3T3 cells, viscoelastic analysis, 233
— acid, deoxyribo-, postreplication repair of ultraviolet damage, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
— acid, deoxyribo-, pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, near-ultraviolet light-induced strand breaks, 181
— acid, deoxyribo-, single-stranded, from *Escherichia coli*, viscoelastic characterization, 223
— acid, -chain elongation, deoxyribo-, postreplication repair of ultraviolet damage to DNA, and effects of metabolic inhibitors in mouse L cells, 403
Number fluctuation spectroscopy of motile microorganisms, 785

O

On-line identification of sensory systems using pseudorandom binary noise perturbations, 505
Optical, electro-, property of extremely stretched skinned muscle fibers, 163

P

Parenchyma, lung, elasticity properties derived from experimental distortion data, 481
Perfusion, internal, of the *Myxicola* giant axon, 495
Permeable semi-, properties of living cells, membrane lipid, not polarized water, is responsible, 777
Permselectivity of the glomerular capillary wall to macromolecules. I. Theoretical considerations, 861
— of the glomerular capillary wall to macromolecules. II. Experimental studies in rats using neutral dextran, 887
Phase separation and fusion, calcium-induced, in phospholipid membranes, 945
— separations, lipid lateral, spin label and freeze-fracture electron microscopy studies, 949
— transitions in planar bilayer membranes, 95
Phosphate, adenosine mono-, cyclic, iontophoresis, 753
—, adenosine mono-, cyclic, signal, external, stimulation of late interphase *Dictyostelium discoideum* amoebae, 765
—, adenosine tri-, analogues, cross-bridge conformation as revealed by X-ray diffraction studies of insect flight muscles, 687
— dehydrogenase, glyceraldehyde-3-, conformational changes observed using laser light-scattering spectroscopy, 747
Phospholipid flip-flop, does it affect axon potassium channels? 847
— membranes, calcium-induced phase separation and fusion, 945
Photolysis of bacterial rhodopsin, 907
Photomutants, white noise analysis of *Phycomyces* light growth response system, 1033
Photoreactivating enzyme, human, action spectrum and safelight conditions, 435
Phycomyces light growth response system, white noise analysis. I. Normal intensity range, 989
— light growth response system, white noise analysis. II. Extended intensity ranges, 1013
— light growth response system, white noise analysis. III. Photomutants, 1033
Piezoelectricity in bone and collagen, effect of water, 573
Plasma and red cells, water exchange, measurement by nuclear magnetic relaxation, 1101
Polarization from a helix of fluorophores and its relation to that obtained from muscle, 455
Polarized water, not responsible for the semipermeable properties of living cells, membrane lipid is responsible, 777

Pore, uniform, proof of Onsager's reciprocity postulate, general continuum analysis of transport through pores, 533
Pores, general continuum analysis of transport. I. Proof of Onsager's reciprocity postulate for uniform pore, 533
—, general continuum analysis of transport. II. Nonuniform pores, 553
—, ionic, in excitable membranes, 932
—, liquid-filled cylindrical, drag coefficients for the movement of rigid spheres, 1087
—, nonuniform, general continuum analysis of transport through pores, 553
Postreplication repair of ultraviolet damage to DNA, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
Postsynaptic region. Axon voltage-clamp simulations, 37
Potassium channels, axon, affected by phospholipid flip-flop? 847
— channels, how many conductance states? 843
Potential energy barriers to ion transport within lipid bilayers, studies with tetraphenylborate, 795
Proton pump, light-driven, in *Halobacterium halobium*, bacteriorhodopsin, 955
— spin relaxations, water, in tissues, origin of nonexponentiality, 855
— transport, electrogenic, in the plasma membrane of *Neurospora*, 968

Q

Quenching of excited chlorophyll *A* in vivo by nitrobenzene, 83

R

Radiation damage to bull sperm motility. III. Further X-ray studies, 831
Radioresistance, induction in *Escherichia coli*, 1141
Receptor for tetrodotoxin and saxitoxin, a structural hypothesis, 615
Red blood cell. See Erythrocyte.
Reducing agents, electron spin resonance study of treated melanin, 565
Repair, postreplication, of ultraviolet damage to DNA, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
Resistance, radio, induction in *Escherichia coli*, 1141
Resonance relaxation, nuclear magnetic, water in agarose gels studied in the rotating frame, 1235
— studies, quantitative magnetic, of manganese uptake by mitochondria, 319
— study, electron spin, of melanin treated with reducing agents, 565
— study, electron spin, of synaptosome opiate receptors, preparation and use of a spin-labeled morphine, 1125
Resonance study, nuclear magnetic, of mammalian cell water, influence of water content and ionic environment, 391
— study, pulsed nuclear magnetic, of ^{17}O, ^{2}D, and ^{1}H of water in frog striated muscle, 299
Retinal rod outer segments, data, application of analysis of lamellar X-ray diffraction from disordered membrane multilayers, 1201
Rhodopsin, bacterial, low temperature kinetics of H^+ changes, 913
—, bacterial, photolysis, 907
—, bacterio-, a light-driven proton pump in *Halobacterium halobium*, 955
— solubilized in Triton X-100, electric dipole moment, 1181
Ribonucleic acid, deoxy-, degradation in *Haemophilus influenzae* cells after X-ray irradiation. I. Experimental results, 441
— acid, deoxy-, high molecular weight alkali-denatured, from mouse 3T3 cells, viscoelastic analysis, 233
— acid, deoxy-, postreplication repair of ultraviolet damage, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
— acid, deoxy-, pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, near-ultraviolet light-induced strand breaks, 181
— acid, deoxy-, single-stranded, from *Escherichia coli*, viscoelastic characterization, 223
— acid-chain elongation, deoxy-, postreplication repair of ultraviolet damage to DNA, and effects of metabolic inhibitors in mouse L cells, 403
Roentgen ray diffraction, lamellar, from disordered membrane multilayers, analysis with application to data from retinal rod outer segments, 1201
— ray diffraction studies of insect flight muscles with ATP analogues, cross-bridge conformation revealed, 687
— ray irradiation, degradation of DNA in *Haemophilus influenzae* cells. I. Experimental results, 441
— ray scattering in the study of lipid bilayer planar organization, 940
— ray studies, radiation damage to bull sperm motility, 831

S

Saxitoxin and tetrodotoxin receptor, a structural hypothesis, 615
Selectivity, ion, of carriers and channels, 921
Sensory systems, on-line identification using pseudorandom binary noise perturbations, 505
Serosal membrane potential, dependence on mucosal membrane potential in toad urinary bladder, 71
Shear flow, turbulent, deformation and fragmentation of human red blood cells, 1
Signal, external cyclic AMP, stimulation of late interphase *Dictyostelium discoideum* amoebae, 765

Sodium conductance of giant axon of *Myxicola* in terms of a generalized second-order variable, quantitative description, 119
— permeability changes in excitable membranes, a transient excited state model, 577
— transport processes, active, energetics, 651
Solutions, ionic, theory, 143
Spatial stability of traveling wave solutions of a nerve conduction equation, 975
Spectroscopy, laser light-scattering, conformational changes of glyceraldehyde-3-phosphate dehydrogenase observed, 747
—, number fluctuation, of motile microorganisms, 785
Sperm motility, bull, radiation damage. III. Further X-ray studies, 831
Spin label and freeze-fracture electron microscopy studies, lipid lateral phase separations, 949
— relaxations, water proton, in tissues, origin of nonexponentiality, 855
— resonance study, electron, of melanin treated with reducing agents, 565
—resonance study, electron, of synaptosome opiate receptors, preparation and use of a spin-labeled morphine, 1125
Spin-labeled morphine, preparation and use, electron spin resonance study of synaptosome opiate receptors, 1125
Stability, spatial, of traveling wave solutions of a nerve conduction equation, 975
Steady state of muscular contraction, structural fluctuations, 633
Storage, lysosomal, of indigestible matter, kinetics, 287
Strand breaks, near-ultraviolet light-induced, in DNA pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, 181
Sucrose gap, double, electrical characteristics of frog atrial trabeculae, 1047
Sucrose-gap method, double. Axon voltage-clamp simulations, 25
Swimbladder response, teleost, to acoustic stimuli, laser light-scattering investigations, 307
Synaptic, post-, region, axon voltage-clamp simulations, 37
Synaptosome opiate receptors, electron spin resonance study, preparation and use of a spin-labeled morphine, 1125

T

Temperature dependence of *Escherichia coli* motility, light-scattering study, 253
Tetraphenylborate studies, potential energy barriers to ion transport within lipid bilayers, 795
Tetrodotoxin and saxitoxin receptor, a structural hypothesis, 615
Thermal transition, tilted hydrocarbon chains of dipalmitoyl lecithin become perpendicular to bilayer before melting, 1117
Thermodynamics, network, an overview, 667
— of living systems, a special issue dedicated to Aharon Katchalsky, no. 7, p. *i*
Tissues, origin of the nonexponentiality of water proton spin relaxations, 855
Toad urinary bladder, dependence of serosal membrane potential on mucosal membrane potential, 71
Transport, electrogenic proton, in the plasma membrane of *Neurospora*. 968
—, ion, within lipid bilayers, potential energy barriers, studies with tetraphenylborate, 795
—, membrane, equations, experimental and theoretical tests of the frictional model, 591
— processes, active, energetics, 651
— through pores, general continuum analysis. I. Proof of Onsager's reciprocity postulate for uniform pore, 533
— through pores, general continuum analysis. II. Nonuniform pores, 553
Triphosphate analogues, adenosine, cross-bridge conformation as revealed by X-ray diffraction studies of insect flight muscles, 687
Tubules, micro-, mitotic, functional organization, physical chemistry of the in vivo equilibrium system, 725

U

Ultraviolet damage to DNA, postreplication repair, DNA-chain elongation, and effects of metabolic inhibitors in mouse L cells, 403
—, near-, light-induced strand breaks, in DNA pretreated with the carcinogen, *N*-acetoxy-2-acetylaminofluorene, 181

V

Viscoelastic analysis of high molecular weight, alkali-denatured DNA from mouse 3T3 cells, 233
— characterization of single-stranded DNA from *Escherichia coli*, 223
Voltage-clamp simulations, axon. I. Methods and tests, 11
— simulations, axon. II. Double sucrose-gap method, 25
— simulations, axon. III. Postsynaptic region, 37
— simulations, axon. IV. A multicellular preparation, 55

W

Water, effect on piezoelectricity in bone and collagen, 573
— exchange between red cells and plasma, measurement by nuclear magnetic relaxation, 1101
— in agarose gels studied by nuclear magnetic resonance relaxation in the rotating frame, 1235

Water, mammalian cell, nuclear magnetic resonance study, influence of water content and ionic environment, 391
— ^{17}O, ^{2}D, and ^{1}H, pulsed nuclear magnetic resonance study in frog striated muscle, 299
—, polarized, not responsible for the semipermeable properties of living cells, membrane lipid is responsible, 777
— proton spin relaxations in tissues, origin of nonexponentiality, 855
Wave solutions, traveling, of a nerve conduction equation, spatial stability, 975

X

Xenopus embryo, eight-cell, intercellular connectivity, correlation of electrical and morphological investigations, 373
X-ray. See Roentgen ray.

Statement of Ownership, Management, and Circulation required by Act of 12 August 1970: Section 3685, Title 39, United States Code Biophysical Journal. Published monthly by The Rockefeller University Press, at 1230 York Avenue, New York 10021 for the Biophysical Society, Washington, D.C. 20007. Editor, Frederick A. Dodge, The Rockefeller University, New York 10021. Owned by the Biophysical Society, Washington, D.C. 20007, nonprofit organization authorized to mail at special rates. Following statistics represent 12 month average and number nearest to date of filing: copies printed for each issue, 2343; sales through dealers, street vendors, counter sales, 0; mail subscriptions, 2166; total paid circulation, 2166; free subscriptions, 49; office use, left-over, unaccounted for, spoiled, 128; net press run, 2343. Single issue nearest filing date, September 1975. (Signed, W. A. Bayless, Director, The Rockefeller University Press)